



Product Specifications

Construction	Patterned Loop
Backing	Nexus® Modular
Dye Method	Solution Dyed
Nylon Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	15 oz/sy(509 grams/m2)
Pile Density	5,330 oz/y3 (197.6 kg/m3)
Pattern Repeat	N/A
Gauge	1/12 (4.72 rows/cm)
Stitches per Inch	10 stitches/in (3.94 stitches/cm)
Standard Size	50 cm x 50 cm

ModeloConspiracy

Color Research



Product Specifications

Construction	Patterned Loop
Backing	Nexus® Modular
Dye Method	Solution Dyed
Nylon Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	15 oz/sy(509 grams/m2)
Pile Density	5,330 oz/y3 (197.6 kg/m3)
Pattern Repeat	N/A
Gauge	1/12 (4.72 rows/cm)
Stitches per Inch	10 stitches/in (3.94 stitches/cm)
Standard Size	50 cm x 50 cm

Modelo **Energy**
Color Variable



Product Specifications

Construction	Level Loop
Backing	Nexus® Modular
Dye Method	Solution Dyed
Nylon Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	20oz/sy(678 grams/m2)
Pile Density	7596oz/y3 (281.66 kg/m3)
Pattern Repeat	N/A
Gauge	1/10 (3.94 rows/cm)
Stitches per Inch	12 stitches/in (3.94 stitches/cm)
Standard Size	50 cm x 50 cm

Modelo **String**
Color Analysis



Product Specifications

Construction	Level Loop
Backing	Nexus® Modular
Dye Method	Solution Dyed
Nylon Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	15 oz/sy(509 grams/m2)
Pile Density	5580 oz/y3 (206.91 kg/m3)
Pattern Repeat	N/A
Gauge	1/10 (3.94 rows/cm)
Stitches per Inch	12 stitches/in (4.72 stitches/cm)
Standard Size	50 cm x 50 cm



Product Specifications

Construction	Level Loop
Backing	Nexus® Modular
Dye Method	Solution Dyed
Nylon Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	15 oz/sy(509 grams/m2)
Pile Density	5580 oz/y3 (206.91 kg/m3)
Pattern Repeat	N/A
Gauge	1/10 (3.94 rows/cm)
Stitches per Inch	12 stitches/in (4.72 stitches/cm)
Standard Size	50 cm x 50 cm